



7959 Broadway, Suites 600 & 604
San Antonio, Texas 78209
www.HeritagePediatrics.com
Fax (210) 805-9523

John T. Fitch, Jr., MD, FAAP: (210) 826-1891
Graham T. Hall, MD, FAAP: (210) 826-7033
Joshua C. Tardy, MD, MBA, FAAP: (210) 824-7938

Dr. Hall's 4 Year Old Annual Check-up

Weight: ___lbs___oz (___%)
Height: _____in (___%)
Head: _____in (___%)

Thank you for choosing us as your child's Primary Care Provider. We look forward to serving you and your baby. Below you will find some helpful information.

IMMUNIZATIONS

Your baby will get 2 vaccines today.

(1) Kinrix = DTaP #5 (Diphtheria, Tetanus and acellular Pertussis)

IPV #4 (Inactivated Polio)

(2) Proquad = MMR #2 and Varivax #2 (Measles, Mumps, Rubella and Chicken Pox)

DEVELOPMENTAL MILESTONES



- At this age, they are more cooperative in their play with peers
- Able to dress/undress without supervision, allow for privacy and let them know this is good
- Breaking rules occasionally is common at this age
- Making them stand in a corner alone for 4 minutes is usually an effective punishment

THINGS TO DO

- Get any missed immunizations.
- Schedule Annual Dental appointment.
- Your child's next physical is at age 5 years!!

NUTRITION



The family kitchen is no place for short-order cooking or bargaining over food. Your job as parent is to provide a balanced selection of foods at meals; it is your child's decision to eat it. Mealtimes should be social occasions that provide important opportunities for sharing events of the day. Therefore, even if your child doesn't like the food that's being served,



7959 Broadway, Suites 600 & 604
San Antonio, Texas 78209
www.HeritagePediatrics.com
Fax (210) 805-9523

John T. Fitch, Jr., MD, FAAP: (210) 826-1891
Graham T. Hall, MD, FAAP: (210) 826-7033
Joshua C. Tardy, MD, MBA, FAAP: (210) 824-7938

you should still expect her to join the rest of the family at the table. Let her help herself to bread, salad, and whatever else is on the table, but don't offer an alternative food in place of the dish she has turned down. If she's hungry later, offer to reheat leftovers or suggest another healthy choice. The one food you shouldn't offer is the alternative she originally demanded. Bribes are often counterproductive; they make children resistant to foods they feel neutral about - "if they have to bribe me to eat this stuff, it must be really bad." Most children outgrow their picky eating if meals do not become battles of wills.

Adapted from AAP's [Guide to Your Child's Nutrition](#)


SLEEPING

Most 4 year olds still require an afternoon nap and their bedtime is usually between 7 and 8 pm. Having a bedtime routine and a consistent time for bed will help prevent many sleep problems. Continue reading to your child as part of quiet time before bed. Fears of the dark, thunder, lightning, etc are common at this age. Using a night light, security blanket or toy are all ways to help lessen nighttime fears. Nightmares will sometimes waken a child from sleep. The nightmares can be triggered by changes or stress. Comfort your child and put her back to bed.



Continue helping your child to brush teeth twice each day with a soft toothbrush using a pea-size amount of toothpaste. Make an appointment with the dentist for a check-up.

PLAYTIME & PARENTING



Children at this age enjoy sand and water play, books, and reading. Pretend play, using both toys and household objects, is developing. Passive play (such as TV viewing) should be limited to less than 2 hours per day.

Playmates are important. Allow your child to interact with other 4 year olds. This can be accomplished in a preschool, play group, or simply having another child over for a few hours.

Having direct conversations with your child improves her language development. Early on children do not learn language from TV or radio. Encourage your child to talk about her day or other topics of interest.



7959 Broadway, Suites 600 & 604
San Antonio, Texas 78209
www.HeritagePediatrics.com
Fax (210) 805-9523

John T. Fitch, Jr., MD, FAAP: (210) 826-1891
Graham T. Hall, MD, FAAP: (210) 826-7033
Joshua C. Tardy, MD, MBA, FAAP: (210) 824-7938

Show your affection by your behavior, not just words (so give unexpected hugs, quiet time together). Each parent should spend some time alone with each child each day.

Help siblings learn to resolve conflict and anger.

Don't worry if the child becomes curious about body parts. This is normal at this age. Always use the correct term for genitals.

DISCIPLINE

Discipline should continue to be firm and consistent but loving and understanding. Use the two I's of discipline (ignore or isolate) rather than the two S's (shouting, spanking). When disciplining, try to separate the child from his behavior ("I love you, but I do not like it when you touch the VCR").

Provide alternatives - "No, you cannot play with the telephone, but you may play with these blocks"

Try to avoid power struggles. No one wins!

Reinforce good behavior. If you save all your attention for punishment or "NO" then your child will learn to get attention by negative behavior.

SAFETY

Injuries are the number one cause of death for children with almost half of injuries involving motor vehicles.

- Children should remain in car seats or convertible seats until they out-grow them (usually around age of 5 and/or 40 pounds.) They should be restrained in belted booster seats until they are at least 8 years old (or over 4'9" tall and > 90lbs). The back seat is the safest place for children to ride.
- Teach your child never to ride a bicycle or tricycle in the street. It is too early to expect them to look both ways for street safety, monitor all street crossing.
- Poison-proof your house. Check storage cabinets for kerosene, solvents, paints and removers, and drain cleaners. Keep these items (and all medicines) out of reach and locked up.
- Never refer to medication as "candy." Call the poison control center if your child puts something poisonous in his mouth.
- Guns in the home are a danger to the family. All guns should be unloaded, locked and out of reach.



7959 Broadway, Suites 600 & 604
San Antonio, Texas 78209
www.HeritagePediatrics.com
Fax (210) 805-9523

John T. Fitch, Jr., MD, FAAP: (210) 826-1891
Graham T. Hall, MD, FAAP: (210) 826-7033
Joshua C. Tardy, MD, MBA, FAAP: (210) 824-7938

- Teach your 4 year old all family members names
- Do not allow your child to be near knives, power tools or mowers

Start to teach your child his full name, address, and phone number. Start to teach stranger safety - not to follow strangers and not allow themselves to be touched by others in ways they don't like.

Keep your home and car smoke-free.

IMPORTANT CONTACT INFORMATION

Dr. Hall's clinic: 826-7033

Monday - Friday 8:30-5:00*

Sat. 8-12 - sick visits only

VACCINE ONLY HOURS:

9-11am and 2-4pm M-F

*Office closed for lunch from

12:30-1:30

*After Hours: When you call our offices after normal hours, you will get the option of speaking to a nurse.

*WIC: 225-0213 (San Antonio area information)

*Poison Control: 1-800-222-1222

www.AAP.org

(American Academy of Pediatrics - lots of parent hand-outs/information)

WE RECOMMEND USING:

- ✓ Methodist Children's Hospital
(7700 Floyd Curl Drive - Medical Center) for emergency room needs. Contact (210) 575-7000.

- ✓ For urgent after hours care:
Night Light Pediatrics @ 19272 Stone Oak Pkwy - contact (210)545-7581
open evenings until 11:00 pm (10pm summer)

Red Fish, Blue Fish Pediatrics @ 1207 N.
Loop 1604 W, Ste. 115, (210) 479-3474

Little Spurs Ped. Urgent Care (5 locations)
(210) 543-7334